

FIGURE 1





FIGURE 2

200



| OFFSET | NAME | LENGTH | VALUE | DESCRIPTION |
|-----------|---------------------------------|---------|-----------------|--|
| 00h | Identifier | 4 bytes | 'FFCB' | Character string marks start of control block 210 |
| 04h | Present Firmware Family Code | 1 word | Varies | Architecturally assigned family code which this image belongs to 220 |
| 06h | Present Firmware Stepping Level | 1 byte | Varies | Stepping level automatically incremented by one for each new build 230 |
| 07h | First table entry | 4 bytes | Varies | First compatibility table entry (optional) 240 |
| 0Bh | Second table entry | 4 bytes | Varies | Second compatibility table entry (optional) 250 |
| . | . | . | . | . |
| . | . | . | . | . |
| 03h + 4*N | Nth table entry | 4 bytes | Varies | Nth compatibility table entry (optional) 260 |
| 07h + 4*N | End of table marker | 4 bytes | 00h 00h 00h 00h | Table entry of all 0's marks end of table 270 |

FIGURE 3

300
↙

| OFFSET | NAME | LENGTH | VALUE | DESCRIPTION |
|--------|------------------------------------|--------|--------------------------|---|
| 00h | Relationship Code | 1 byte | Varies | Code describing relationship between the present image and other images which may be compared to it 310 |
| 01h | Comparison Firmware Family Code | 1 word | Varies (0001h or larger) | Firmware family code of another image which may be compared to the present image 320 |
| 03h | Comparison Firmware Stepping Level | 1 byte | Varies (01h or larger) | Firmware stepping level of another image which may be compatible to the present image 330 |

FIGURE 4

